



MGPI of Indiana, LLC  
7 Ridge Avenue  
Lawrenceburg, Indiana 47025  
800.255.0302  
[www.mgpingredients.com](http://www.mgpingredients.com)

Indiana Department of Environmental Management  
Compliance and Enforcement Branch, Office of Air Quality  
100 North Senate Avenue  
MC 61-53 IGCN 1003  
Indianapolis, Indiana 46204-2251

Dear Sir / Madam,

Re: Quarterly Deviation and Compliance Monitoring and Excess Emissions Reports Part  
70 Operating Permit No.: T029-32119-00005.

Enclosed is the referenced report for the first quarter of 2016.

Sincerely,

William R. Graves  
EHS Manager  
MGPI of Indiana, LLC  
7 Ridge Avenue  
Lawrenceburg, IN 47025  
Phone (812) 532-4158  
Fax (812) 532-4216  
Email: [randy.graves@mgpingredients.com](mailto:randy.graves@mgpingredients.com)

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE AND ENFORCEMENT BRANCH  
PART 70 OPERATING PERMIT  
CERTIFICATION**

Source Name: MGPI of Indiana  
Source Address: 7 Ridge Avenue, Lawrenceburg, Indiana 47025  
Part 70 Permit No.: T029-32119-00005

**This certification shall be included when submitting monitoring, testing reports/results or other documents as required by this permit.**

Please check what document is being certified:

- ☐ Annual Compliance Certification Letter
- ☐ Test Result (specify)
- ☒ Report (specify) 1<sup>st</sup> Quarter 2016 Deviation, Compliance Monitoring, Excess Emissions
- ☐ Notification (specify)
- ☐ Affidavit (specify)
- ☐ Other (specify)

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature: *Mike Templin*

Printed Name: Mike Templin

Title/Position: Plant Manager

Phone: 812-532-4171

Date: 4/27/16

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE AND ENFORCEMENT BRANCH**

**Part 70 Quarterly Report**

Source Name: MGPI of Indiana  
Source Address: 7 Ridge Avenue, Lawrenceburg, Indiana 47025  
Part 70 Permit No.: T029-32119-00005  
Facility: Five (5) Rotary Dryers (EU-32)  
Parameter: total dryer feed rate  
Limit: shall not exceed 147,000 tons per twelve (12) consecutive month period with compliance determined at the end of each month.

QUARTER : First

YEAR: 2016

Month	Column 1	Column 2	Column 1 + Column 2
	This Month	Previous 11 Months	12 Month Total
Month 1	4,416	88,401	92,817
Month 2	0	84,285	84,285
Month 3	0	74,325	74,325

☒ No deviation occurred in this quarter.

☐ Deviation/s occurred in this quarter.  
Deviation has been reported on:

Submitted by: William R. Graves \_\_\_\_\_  
Title / Position: EHS Manager \_\_\_\_\_  
Signature: William R. Graves \_\_\_\_\_  
Date: 04-27-16 \_\_\_\_\_  
Phone: 812-532-4158 \_\_\_\_\_

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE AND ENFORCEMENT BRANCH**

**Part 70 Quarterly Report**

Source Name: MGPI of Indiana  
Source Address: 7 Ridge Avenue, Lawrenceburg, Indiana 47025  
Part 70 Permit No.: T029-32119-00005  
Facility: One (1) steam boiler, identified as EU-97  
Parameter: #2 Fuel Oil Burned  
Limit: 1,848,000 gallons per twelve (12) consecutive month period, equivalent to SO<sub>2</sub> emissions of 39.4 tons per year, with compliance determined at the end of each month.

YEAR: 2016

Month	#2 Fuel Oil (gallons)	#2 Fuel Oil (gallons)	# 2 Fuel Oil (gallons)
	This Month	Previous 11 Months	12 Month Total
January	0	0	0
February	0	0	0
March	0	0	0

☒ No deviation occurred in this quarter.

☐ Deviation/s occurred in this quarter.  
Deviation has been reported on:

Submitted by: William R. Graves  
Title / Position: EHS Manager  
Signature: William R. Graves  
Date: 04-27-16  
Phone: (812) 532-4158

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE AND ENFORCEMENT BRANCH  
PART 70 OPERATING PERMIT  
QUARTERLY DEVIATION AND COMPLIANCE MONITORING REPORT**

Source Name: MGPI of Indiana  
Source Address: 7 Ridge Avenue, Lawrenceburg, Indiana 47025  
Part 70 Permit No.: T029-32119-00005

Months: January\_to March Year: 2016

Page 1 of 2

This report shall be submitted quarterly based on a calendar year. Proper notice submittal under Section B –Emergency Provisions satisfies the reporting requirements of paragraph (a) of Section C-General Reporting. Any deviation from the requirements of this permit, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. A deviation required to be reported pursuant to an applicable requirement that exists independent of the permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".

☒ NO DEVIATIONS OCCURRED THIS REPORTING PERIOD.

☐ THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD

Permit Requirement (specify permit condition #)

Date of Deviation:

Duration of Deviation:

Number of Deviations:

Probable Cause of Deviation:

Response Steps Taken:

Permit Requirement (specify permit condition #)

Date of Deviation:

Duration of Deviation:

Number of Deviations:

Probable Cause of Deviation:

Response Steps Taken:

Page 2 of 2

<b>Permit Requirement</b> (specify permit condition #)	
<b>Date of Deviation:</b>	<b>Duration of Deviation:</b>
<b>Number of Deviations:</b>	
<b>Probable Cause of Deviation:</b>	
<b>Response Steps Taken:</b>	
<b>Permit Requirement</b> (specify permit condition #)	
<b>Date of Deviation:</b>	<b>Duration of Deviation:</b>
<b>Number of Deviations:</b>	
<b>Probable Cause of Deviation:</b>	
<b>Response Steps Taken:</b>	
<b>Permit Requirement</b> (specify permit condition #)	
<b>Date of Deviation:</b>	<b>Duration of Deviation:</b>
<b>Number of Deviations:</b>	
<b>Probable Cause of Deviation:</b>	
<b>Response Steps Taken:</b>	

Form Completed by: William R. Graves\_\_\_\_\_

Title / Position: EHS Manager\_\_\_\_\_

Date: 04-27-16\_\_\_\_\_

Phone: (812) 532-4158\_\_\_\_\_